

FIG. 1




FIG. 2

DOMAIN NAME
http://ig.bsc.co.jp/index.html
PROTOCOL NAME PASS NAME

FIG. 3

```
GET /a1.co.jp/index.html    HTTP/1.0
USER-AGENT: XXXX
. . .
```

FIG. 4A

```
GET /index.html    HTTP/1.0
. . .
```

FIG. 4B

```
<html>
<a href="http://a2.co.jp/inf1.html">INFORMATION 1</a>
<a href="http://a3.co.jp/inf2.html">INFORMATION 2</a>
</html>
```

FIG. 4C

```
<html>
<a href="http://ig.bsc.co.jp/a2.co.jp/inf1.html">INFORMATION 1</a>
<a href="http://ig.bsc.co.jp/a3.co.jp/inf2.html">INFORMATION 2</a>
</html>
```

FIG. 4D

```
INFORMATION 1
INFORMATION 2
```

FIG. 4E




FIG. 5

CCS: CONTENTS CONVERSION SERVER
 CPS: CONTENTS PROVIDING SERVER
 DN: DOMAIN NAME
 PN: PASS NAME
 BT: BROWSER TYPE

```
<html>  
<a href="http://ig.bsc.co.jp/a1.co.jp/inf1.html">A1 SERVICE</a>  
</html>
```

FIG. 6A

A1 SERVICE

FIG. 6B

```
GET /a1.co.jp/inf1.html    HTTP/1.0  
USER-AGENT: XXXX  
...
```

FIG. 6C